



Stock Program

MDF 2020/01



OVERVIEW OF BRANDS & PRODUCT TYPES IN OUR STOCK PROGRAM **P.4**

STOCK OVERVIEW PER PRODUCT TYPE

MDF Standard

MDF Standard P.6

MDF Standard - Ultralight P.9

MDF Standard - High Density P.10

MDF Moisture resistant (MR) P.12

MDF Fire retardant (FR) P.14

MDF Coloured in core P.16

MDF Lacquered / Ready-to-paint P.18

MDF Non-added Formaldehyde (NAF) P.19

STOCK OVERVIEW OF SPECIFIC RANGES









Substrates for bonding HPL - panel size 1310 x 3050 mm P.20

Panel size 2070 x 2800 mm P.22

ChemVerbotsV compliant products (Germany) P.25

OVERVIEW: BRANDS & PRODUCT TYPES IN OUR STOCK PROGRAM

				
	STANDARD	MOISTURE RESISTANT (MR)	FIRE RESISTANT	
 <p>HIGH DENSITY</p> <p>LOW DENSITY</p>	 <p>Fibralex</p>	 <p>Fibralex MR</p>		
		<p>Fibromax Fibromax Pro Fibromax Pro LF Fibromax Pro FI LF+</p>	<p>Fibromax MR Fibromax MR Uncoloured</p>	
	<p>Fibrabel Fibrabel LF+</p>	<p>Fibrofit</p>	<p>Fibrabel MR</p>	<p>Fibrofit MR Fibrabel FI</p>
	<p>Fibrabel Ultralight</p>			

			
TARDANT (FR)	COLOURED IN CORE	LACQUERED / READY TO PAINT	NON-ADDED FORMALDEHYDE (NAF)
 Fibralux FR	 Fibralux MR Black Fibralux MR Black Gloss Fibralux MR Black Super Matt Fibralux MR Grey Fibralux FR Black	 Fibralux MR Prime	 Fibralux NAF Fibralux MR NAF Fibralux MR FR NAF
Fibrabel FR Fibrabel MR Uncoloured	Fibrabel Black Fibrabel Black LF+	Fibrabel Prime Fibrabel MR Prime	Fibrofit Prime



MDF STANDARD



FIBRABEL®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	90	32941	1,44	90	32953	1,80
9	80	32942	1,42	80	32954	1,78
10	72	32943	1,40	72	32955	1,75
12	60	32944	1,34	60	32956	1,67
15	50	32945	1,39	50	32957	1,74
16	45	32946	1,34	45	32958	1,67
18	40	32947	1,33	40	32959	1,67
19	40	32948	1,37	40	32960	1,71
22	32	32949	1,28	32	32961	1,60
25	28	32950	1,27	28	32962	1,59
28	24	32951	1,23	24	32963	1,53
30	24	31776	1,31	24	32964	1,64
38	20	30884	1,38	20	30885	1,73

Thickness (mm)	1310x3050 mm			1250x2500 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
16	45	32966	1,79			
18	40	31777	1,79	50	32965	1,70
22	32	32968	1,72			
28	24	32969	1,65			
38	20	32970	1,85			

Thickness (mm)	2200x3660 mm			2200x4150 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	45	32977	2,41			
12	38	32978	2,33			
16	28	32979	2,29	25	42807	2,34
19	24	32980	2,33	20	42806	2,22
22	20	32981	2,22			
25	18	32982	2,27			
30	15	32983	2,27			
40	12	32984	2,41			

FIBRABEL® LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI



Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	44847	1,34	60	44850	1,67
16	45	44848	1,34	45	44851	1,67
18	40	45103	1,33	40	45104	1,67
19	40	44849	1,37	40	44852	1,71



FIBROFIT®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	100	4078	1,71	100	4066	2,14
10	90	6501	1,66			
12	75	4079	1,66	75	4088	2,07
15	60	6912	1,65	60	7693	2,07
16	60	4089	1,76	60	4119	2,20
18	50	3418	1,65	50	3471	2,07
19	50	10096	1,74			
22	40	6527	1,62			
25	32	10127	1,47			

Thickness (mm)	2070x2800 mm			1310x3060 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18				44	21956	1,97
19	29	42931	2,01			





MDF STANDARD - ULTRALIGHT

FIBRABEL® ULTRALIGHT



- Ultralight density
- UL2-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			2200x3660 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	32875	1,19	60	32931	1,48			
15	50	32876	1,23	50	32932	1,54			
18	40	32877	1,18	40	32933	1,48			
19							24	32938	2,07
25	28	32928	1,15						
38	20	32930	1,24	20	32935	1,56			



MDF STANDARD - HIGH DENSITY



FIBRALUX®



- High density
- MDF.LA (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
3	240	31778	1,74			
4	192	32986	1,80			
6	120	32987	1,79	120	33000	2,24
8	90	32988	1,70	90	33001	2,13
10	72	32990	1,61	72	33002	2,02
12	60	32991	1,59	60	33003	1,99
15	50	32992	1,63	50	33004	2,04
16	45	32993	1,57	45	33005	1,97
18	40	32994	1,57	40	33006	1,96
19	40	32995	1,62	40	33007	2,02
22	32	32996	1,47	32	33008	1,84
25	28	32997	1,46	28	33009	1,83
28				24	33010	1,76
30				24	33011	1,88



FIBRALUX® NAF



- High density
- MDF.LA (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08

FIBROMAX®




- High density
- MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	138	6498	2,02	99	21950	1,83			
9	88	2312	1,84						
10	84	2314	1,93				44	42933	2,01
12	68	2315	1,87	68	2340	2,34	38	42934	2,07
16	52	2320	1,85	52	2342	2,32	29	42935	2,06
18	44	2323	1,77	44	6523	2,21	25	2959	1,97
19	44	2327	1,86	44	2345	2,33	24	42936	2,02
22	36	2329	1,74	36	2346	2,18	21	42937	2,01




MDF STANDARD - HIGH DENSITY

FIBROMAX® PRO

	<ul style="list-style-type: none"> • High density • L-MDF (EN622-5) • Certificates: E1 (EU) 		
Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
3	100	42970	1,42
6	74	42924	2,03
8	60	42925	2,05
10	51	42926	2,01
12	43	42927	2,04
16	32	42928	2,02
19	24	42929	1,81
22	23	42930	1,99
25	21	42923	2,06

FIBROMAX® PRO FI LF+

	<ul style="list-style-type: none"> • High density • L-MDF (EN622-5) • Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI 					
Thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	74	44912	2,03			
8	60	44913	2,05	51	45032	2,57
10	51	44542	2,01	44	44548	2,56
12	43	44543	2,04	36	44550	2,52
16	32	44544	2,02	27	44551	2,51
19	24	44545	1,81	23	44552	2,54
22	23	45049	1,99	20	45030	2,55
25	21	45029	2,06	18	45031	2,60
28	20	45098	2,01	18	45101	2,65
30	17	45097	1,84	15	45100	2,38
38	15	45099	2,04			

FIBROMAX® PRO LF

	<ul style="list-style-type: none"> • High density • L-MDF (EN622-5) • Certificates: E1 (EU) / CARB II / EPA TSCA VI 		
Thickness (mm)	1220x2280 mm		
	#/Pack	Article	Weight/Pack
10	90	42932	1,67



MDF MOISTURE RESISTANT (MR)

FIBRABEL® MR



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	33055	1,36	60	33060	1,70			
15	50	33056	1,41	50	33061	1,77			
18	40	33057	1,35	40	33062	1,69	40	33065	1,82
22	32	33058	1,32	32	33063	1,66			
38	20	33059	1,42	20	33064	1,78	20	42808	1,91

FIBRALUX® MR



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1220x2150 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	120	30893	1,79	120	30895	2,24						
9	80	30894	1,64	80	30896	2,05						
12	60	33035	1,59	60	33043	1,99						
15	50	33036	1,63	50	33044	2,04						
16	45	33037	1,57	45	33045	1,97				45	33053	2,11
18	40	33038	1,57	40	33046	1,96	40	42809	1,38			
19	40	33039	1,62	40	33047	2,02						
22	32	33040	1,51	32	33048	1,89				32	33054	2,03
25	28	33041	1,50	28	33049	1,88						
30	24	33042	1,55	24	33050	1,93						

FIBRALUX® MR NAF



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08



MDF MOISTURE RESISTANT (MR)

FIBROFIT® MR



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	75	10032	1,66	75	10238	2,07
15	60	10043	1,65			
18	50	8998	1,65	50	7638	2,07

FIBROMAX® MR



- High density
- MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	68	3414	1,87	68	3453	2,34			
15	56	10235	1,80	56	10236	2,34			
16	52	2321	1,85	52	2968	2,32			
18	44	2324	1,77	44	2344	2,21	25	45035	1,97
19	44	45033	1,86						
22	36	6530	1,74	36	3898	2,18			

FIBROMAX® MR UNCOLOURED



- High density
- MDF.H (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
12	38	45034	2,01
16	29	29151	2,06
19	24	42983	1,97
22	21	29943	2,01



MDF FIRE RETARDANT (FR)

FIBRABEL® FR



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
12	60	30887	1,42	60	30890	1,78				B-s2-d0
15	50	30888	1,46	50	30891	1,82				B-s1-d0
18	40	30889	1,40	40	30892	1,75	40	42810	1,87	B-s1-d0

FIBRABEL® FR UNCOLOURED



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	2070x2800 mm			2200x3660 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10				45	33241	2,48	B-s2-d0
12				38	33242	2,48	B-s2-d0
16	40	33239	2,43	28	33245	2,40	B-s1-d0
19	30	33240	2,11	24	33246	2,44	B-s1-d0
25				18	33243	2,41	B-s1-d0

FIBRALUX® FR



- High density
- MDF.LA FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1220 mm x 2440 mm			1220x3050 mm			2200 mm x 3660 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
6	120	30799	1,82	120	30849	2,27				B-s2-d0
9	80	30800	1,68	80	30850	2,10				B-s2-d0
12	60	30801	1,64	60	30851	2,05				B-s1-d0
15	50	30802	1,68	50	30852	2,10				B-s1-d0
16	45	30803	1,61	45	30853	2,02				B-s1-d0
18	40	30804	1,61	40	30854	2,01				B-s1-d0
19	40	30805	1,66	40	30855	2,08	24	30860	2,81	B-s1-d0
22	32	30806	1,53	32	30856	1,92				B-s1-d0
25	28	30807	1,52	28	30857	1,91				B-s1-d0
30	24	30848	1,57	24	30858	1,96				B-s1-d0



MDF FIRE RETARDANT (FR)

FIBRALUX® FR BLACK



- High density
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B

Thickness (mm)	2550x6120 mm	Euroclass
9	cut to order	B-s2-d0
12	cut to order	B-s2-d0
16	cut to order	B-s1-d0
18	cut to order	B-s1-d0
19	cut to order	B-s1-d0

FIBRALUX® MR FR NAF



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF
- MDF.H FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0



MDF COLOURED IN CORE

FIBRABEL® BLACK



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	40	45036	1,42	40	45037	1,76	40	45048	1,91

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

FIBRALUX® MR BLACK



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm			1310x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	120	30866	1,79	120	30874	2,24			
9	80	30867	1,68	80	30875	2,10			
10									
12	60	30868	1,64	60	30876	2,05			
16	45	30869	1,61	45	30877	2,02			
18	40	30870	1,61	40	30878	2,01	40	42818	2,16
19	40	30871	1,66	40	30879	2,08			
22	32	30872	1,55	32	30880	1,94			
25	28	30873	1,55	28	30881	1,93			

FIBRALUX® MR GREY



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	33100	1,64	60	33104	2,05
16	45	33101	1,61	45	33105	2,02
18	40	33102	1,61	40	33106	2,01
19	40	33103	1,66	40	33107	2,08



MDF COLOURED IN CORE

FIBRALUX® FR BLACK



- High density
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- MDF.LA FR (EN622-5)
- Fire classes: EN CLASS B

Thickness (mm)	2550x6120 mm	Euroclass
9	cut to order	B-s2-d0
12	cut to order	B-s2-d0
16	cut to order	B-s1-d0
18	cut to order	B-s1-d0
19	cut to order	B-s1-d0

FIBRALUX® MR BLACK GLOSS



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- Gloss transparant laquer and protective plastic foil on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400050978	1,01

FIBRALUX® MR BLACK SUPER MATT



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- Fingerprint proof & soft touch and protective plastic foil on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400057451	1,01
19	20	400057450	1,05



MDF LACQUERED / READY TO PAINT

FIBRABEL® PRIME



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- White primer coating on both sides

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400032234	1,44			
12	60	400032235	1,35			
16	45	400032232	1,34			
18	40	400032220	1,34	40	400032209	1,68

FIBRABEL® MR PRIME



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- White primer coating on both sides

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	40	400032236	1,34	40	400032237	1,68

FIBRALUX® MR PRIME



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- White primer coating on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
12	60	400032238	2,01
18	40	400032231	1,97

FIBROFIT® PRIME



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV
- White primer coating on both sides


Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400017971	1,40			
12	60	400017999	1,30	60	400018093	1,60
16	45	400018090	1,30			
18	40	400018091	1,30	40	400018095	1,60



MDF NON-ADDED FORMALDEHYDE (NAF)


FIBRALUX® NAF



	<ul style="list-style-type: none"> High density MDF.LA (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08


FIBRALUX® MR NAF



	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 					
Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08

FIBRALUX® MR FR NAF



	<ul style="list-style-type: none"> High density MDF.H FR (EN622-5) Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102 									
Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0

STOCK RANGE: SUBSTRATES FOR BONDING HPL

Panel size 1310x3050 mm



FIBRABEL®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
16	45	32966	1,79
18	40	31777	1,79
22	32	32968	1,72
28	24	32969	1,65
38	20	32970	1,85

FIBROFIT®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	1310x3060 mm		
	#/Pack	Article	Weight/Pack
18	44	21956	1,97



FIBRABEL® MR



- Standard density
- L-MDF.H (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
18	40	33065	1,82
38	20	42808	1,91



FIBRALUX® MR



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310x3050 mm		
	#/Pack	Article	Weight/Pack
16	45	33053	2,11
22	32	33054	2,03



FIBRABEL® FR



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102

Thickness (mm)	1310x3050 mm			Euroclass
	#/Pack	Article	Weight/Pack	
18	40	42810	1,87	B-s1-d0

STOCK RANGE: SUBSTRATES FOR BONDING HPL

Panel size 1310x3050 mm

FIBRABEL® BLACK



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310X3050 mm		
	#/Pack	Article	Weight/Pack
18	40	45048	1,91

FIBRALUX® MR BLACK



- High density
- MDF.HLS (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI

Thickness (mm)	1310X3050 mm		
	#/Pack	Article	Weight/Pack
18	40	42818	2,16



STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBROFIT®



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
19	29	42931	2,01

FIBROMAX®



- High density
- MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	44	42933	2,01
12	38	42934	2,07
16	29	42935	2,06
18	25	2959	1,97
19	24	42936	2,02
22	21	42937	2,01

FIBROMAX® PRO



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
3	100	42970	1,42
6	74	42924	2,03
8	60	42925	2,05
10	51	42926	2,01
12	43	42927	2,04
16	32	42928	2,02
19	24	42929	1,81
22	23	42930	1,99
25	21	42923	2,06

STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBROMAX® PRO FI LF+



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
6	74	44912	2,03
8	60	44913	2,05
10	51	44542	2,01
12	43	44543	2,04
16	32	44544	2,02
19	24	44545	1,81
22	23	45049	1,99
25	21	45029	2,06
28	20	45098	2,01
30	17	45097	1,84
38	15	45099	2,04

FIBROMAX® MR



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
18	25	45035	1,97

FIBROMAX® MR UNCOLOURED



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU)

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
12	38	45034	2,01
16	29	29151	2,06
19	24	42983	1,97
22	21	29943	2,01

FIBRABEL® FR UNCOLOURED



- Standard density
- L-MDF FR (EN622-5)
- Certificates: E1 (EU) / CARB II / EPA TSCA VI
- Fire classes: EN CLASS B / ASTM E84 CLASS A / CAN ULC S-102



Thickness (mm)	2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	
16	40	33239	2,43	B-s1-d0
19	30	33240	2,57	B-s1-d0

STOCK RANGE: PANEL SIZE 2070X2800 MM

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

FIBRALUX® MR FR NAF



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF
- MDF.H FR (EN622-5)
- Fire classes: EN CLASS B / ASTM E84 CLASS 1 / CAN ULC S-102

Thickness (mm)	2070x2800 mm			Euroclass
	#/Pack	Article	Weight/Pack	
16	40	44432	2,86	B-s1-d0
18	30	44433	2,57	B-s1-d0

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

FIBRABEL® LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
12	60	44847	1,34	60	44850	1,67
16	45	44848	1,34	45	44851	1,67
18	40	45103	1,33	40	45104	1,67
19	40	44849	1,37	40	44852	1,71

FIBROMAX® PRO FI LF+



- High density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm			2070x4100 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
6	74	44912	2,03			
8	60	44913	2,05	51	45032	2,57
10	51	44542	2,01	44	44548	2,56
12	43	44543	2,04	36	44550	2,52
16	32	44544	2,02	27	44551	2,51
19	24	44545	1,81	23	44552	2,54
22	23	45049	1,99	20	45030	2,55
25	21	45029	2,06	18	45031	2,60
28	20	45098	2,01	18	45101	2,65
30	17	45097	1,84	15	45100	2,38
38	15	45099	2,04			

FIBRABEL® BLACK LF+



- Standard density
- L-MDF (EN622-5)
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI

Thickness (mm)	2070x2800 mm		
	#/Pack	Article	Weight/Pack
10	60	44853	2,28
12	50	44854	2,27
16	40	44855	2,42
18	30	44856	2,06
19	30	44857	2,17
22	25	44858	2,09
25	22	44859	2,09
30	19	44860	2,17

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

FIBRALUX® MR BLACK GLOSS



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- Gloss transparent laquer and protective plastic foil on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400050978	1,01

FIBRALUX® MR BLACK SUPER MATT



- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- Fingerprint proof & soft touch and protective plastic foil on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
18	20	400057451	1,01
19	20	400057450	1,05

FIBRABEL® PRIME



- Standard density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- L-MDF (EN622-5)
- White primer coating on both sides

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400032234	1,44			
12	60	400032235	1,35			
16	45	400032232	1,34			
18	40	400032220	1,34	40	400032209	1,68

FIBRABEL® MR PRIME



- Standard density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- L-MDF.H (EN622-5)
- White primer coating on both sides

Thickness (mm)	1220x2440 mm			1220x3050 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
18	40	400032236	1,34	40	400032237	1,68

FIBRALUX® MR PRIME




- High density
- Certificates: E1 (EU) / ChemVerbotsV / CARB II / EPA TSCA VI
- MDF.HLS (EN622-5)
- White primer coating on both sides

Thickness (mm)	1220x3050 mm		
	#/Pack	Article	Weight/Pack
12	60	400032238	2,01
18	40	400032231	1,97

STOCK RANGE: CHEMVERBOTSV COMPLIANT PRODUCTS (GERMANY)

FIBROFIT® PRIME


	<ul style="list-style-type: none"> Standard density L-MDF (EN622-5) 		<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV White primer coating on both sides 			
	Thickness (mm)	1220x2440 mm			1220x3050 mm	
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	400017971	1,40			
12	60	400017999	1,30	60	400018093	1,60
16	45	400018090	1,30			
18	40	400018091	1,30	40	400018095	1,60

FIBRALUX® NAF

	<ul style="list-style-type: none"> High density MDF.LA (EN622-5) 		<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 			
	Thickness (mm)	1220x2440 mm			1220x3050 mm	
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	33129	1,66	80	33134	2,07
12	60	33130	1,61	60	33135	2,02
16	45	42811	1,58	45	42812	1,98
18	40	33131	1,58	40	33136	1,97
19	40	42813	1,66	40	42814	2,08




FIBRALUX® MR NAF

	<ul style="list-style-type: none"> High density MDF.HLS (EN622-5) 		<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF 			
	Thickness (mm)	1220x2440 mm			1220x3050 mm	
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
9	80	42874	1,66	80	42870	2,07
12	60	42871	1,61	60	42875	2,02
16	45	42869	1,58	45	42876	1,98
18	40	42872	1,58	40	42877	1,97
19	40	42873	1,66	40	42878	2,08



FIBRALUX® MR FR NAF

	<ul style="list-style-type: none"> High density MDF.H FR (EN622-5) 		<ul style="list-style-type: none"> Certificates: E1 (EU) / ChemVerbotsV / CARB NAF / EPA TSCA VI NAF Fire classes: EN CLASS B / ASTM E84 CLASS 1 / CAN ULC S-102 							
	Thickness (mm)	1220x2440 mm			1220x3050 mm			2070x2800 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	
10	72	44374	1,69	72	44375	2,11				B-s1-d0
12	60	33139	1,64	60	33143	2,05				B-s1-d0
16	45	33140	1,61	45	33144	2,02	40	44432	2,86	B-s1-d0
18	40	33141	1,61	40	33145	2,01				B-s1-d0
19	40	33142	1,66	40	33146	2,08	30	44433	2,57	B-s1-d0
25	28	44376	1,56	28	44377	1,94				B-s1-d0
30	24	44428	1,66	24	44429	2,12				B-s1-d0



UNILIN, division panels

UNILIN, division panels – part of the UNILIN group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced boards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France, Germany and the Netherlands. Altogether we produce 2.1 million m³ of panels per year.

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website.

FSC/PEFC

All articles in this stock list can be ordered with FSC or PEFC certificate. Contact our sales team for more information.

PRIME

We offer a flexible make-to-order program for "ready to paint" panels with white prime coating. Contact our sales team for more information

QUANTITIES SMALLER THAN FULL PACK

"Spanolux Original" stock references in panel width 1220 & 1310 mm can be ordered in quantities lower than full pack quantities (except Fibralux 3 & 4 mm and 'Prime' panels).

NON-STANDARD

For non-standard panel types & sizes, Unilin has flexible presses & high-capacity saws that support all sawing dimensions. In principle, all thicknesses and lengths / widths are possible within the press & saw capabilities.

FREE SAMPLE SERVICE

Of all stock grades, samples are available. Contact our sales team for more information or visit www.unilinpanels.com

AND ORDER YOUR FREE SAMPLE NOW!



FOLLOW UNILIN PANELS ON



Ingelmunstersteenweg 229, 8780 Oostrozebeke - Belgium
T +32 56 66 70 21 - F +32 56 66 82 25
info.panels@unilin.com - www.unilinpanels.com