



Stock Program

Chipboard & accessories
2020/01







CHIPBOARD NON-STRUCTURAL, STANDARD

TOPFINISH

P1	LISO		
Thickness (mm)	2500x1250 mm		
	#/Pack	Article	Weight/Pack
17	55	24676	1,85

SANDED

P1	LISO								
Thickness (mm)	2500x1250 mm			3050x1250 mm			2800x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
16	60	24672	1,90	50	24675	1,93	36	24638	2,11
18	50	24673	1,78	44	10001	1,91			
19							30	24639	2,06
22	40	24606	1,72				27	24640	2,15

P1	LISO LF+					
Thickness (mm)	2500x1250 mm			2800x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
16	60	44732	1,90	36	44687	2,11
18	50	44733	1,78			
19				30	44728	2,06
22				27	44729	2,15



CHIPBOARD NON-STRUCTURAL, STANDARD

SANDED

P2 BELSPAN									
Thickness (mm)	2500x1250 mm			3050x1250 mm			3060x1310 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	96	33471	1,69	96	33472	2,05			
10	90	24698	1,93	80	9528	2,09			
12	80	24699	2,04	64	9604	1,99			
15	65	24700	1,95						
16	60	24701	1,93	50	24706	1,96	48	24662	2,03
18	50	24702	1,81	44	24707	1,94	44	24663	2,12
19	50	24703	1,88	40	24708	1,83			
22	40	24704	1,72	36	9822	1,88			
25				35	24709	2,08			
28				30	24710	1,97			
38	20	9879	1,44	20	9886	1,76			

Thickness (mm)	2800x2070 mm			4110x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	50	30550	1,63			
10	50	30551	1,99			
12	48	37978	2,22			
15						
16	36	30552	2,14			
18	33	30553	2,21			
19	30	30554	2,09	20	30559	1,97
22	27	30555	2,15			
25	24	30556	2,17			
28	21	30557	2,10			
38	15	9883	2,00			



CHIPBOARD NON-STRUCTURAL, STANDARD

SANDED

P2		BELSPAN LF+							
Thickness (mm)	2500x1250 mm			3050x1250 mm			3060x1310 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	96	44769	1,69						
10	90	44750	1,93	80	44770	2,09			
12	80	44751	2,04	64	44771	1,99			
15	65	44752	1,95						
16	60	44753	1,93	50	44756	1,96	48	44748	2,03
18	50	44754	1,81	44	44757	1,94	44	44749	2,12
19	50	44755	1,88						
22				36	44772	1,88			
25				35	44758	2,08			
28				30	44759	1,97			
38				20	44773	1,76			

Thickness (mm)	2800x2070 mm			4110x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
8	50	44760	1,63			
10	50	44761	1,99			
12						
15						
16	36	44762	2,14			
18	33	44763	2,21			
19	30	44764	2,09	20	44768	1,97
22	27	44765	2,15			
25	24	44766	2,17			
28						
38	15	44767	2,00			



CHIPBOARD NON-STRUCTURAL, MOISTURE RESISTANT

TOPFINISH

P3		HYDROLIS WRB			
Thickness (mm)	2500x1250 mm				
	#/Pack	Article	Weight/Pack		
17	54	24723		1,98	

SANDED

P3		HYDROLIS				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24718	1,96			
12	80	24719	2,09			
16	60	24720	2,07			
18	50	24721	1,95	44	6477	2,09
22	40	24722	1,77			

P3		HYDROLIS LF+				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	44734	1,96			
18				44	44737	2,09

MELAMINE FACED

P3		BETONSPAN				
Thickness (mm)	2500x1250 mm			5310x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
17	55	134087	2,05			
18				12	134213	1,63



CHIPBOARD NON-STRUCTURAL, MOISTURE RESISTANT

LACQUERED

P3		ACRYSPAN		
Thickness (mm)	2500x1250 mm			
	#/Pack	Article	Weight/Pack	
17	54	400011189	2,01	

P3		ACRYSPAN 1S		
Thickness (mm)	2500x1250 mm (1S)			
	#/Pack	Article	Weight/Pack	
17	54	400011188	2,01	

MDF TOPFINISH

MDF.RWH		RWH		
Thickness (mm)	2800x1196 mm			
	#/pack	Article	Weight/Pack	
16	50	25114	1,70	

MDF.RWH		RWH TG		
Thickness (mm)	610x2440 mm (TG4*)			
	#/pack	Article	Weight/Pack	
16	100	400022897	1,50	

*TG4: tongue and groove all 4 edges

MDF.RWH		RWH LF+ TG		
Thickness (mm)	610x2440 mm (TG4*)			
	#/pack	Article	Weight/Pack	
16	100	400063842	1,50	

*TG4: tongue and groove all 4 edges



CHIPBOARD NON-STRUCTURAL, FIRE-RETARDANT

SANDED

P2		ANTIVLAM										
Thickness (mm)	2500x1250 mm			3050x1250 mm			2800x2070 mm			4110x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24648	2,09	75	24649	2,27						
12	80	24650	2,21	64	24651	2,16						
16	60	24652	2,13	50	24653	2,17	30	24654	1,98			
18	50	24655	1,97	44	24656	2,12						
19	50	24657	2,09	40	24658	2,04	25	24660	1,93	25	24659	2,84
22	40	24661	1,91	36	24664	2,09						

P2		ANTIVLAM LF+				
Thickness (mm)	2800x2070 mm			4110x2070 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10						
12						
16	30	45088	1,98			
18						
19	25	45092	1,93	25	45093	2,84
22						





CHIPBOARD STRUCTURAL, STANDARD

TOPFINISH

P4		QUALIRACK TG						
Thickness (mm)	2040x910 mm (TG4*)				2440x610 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
12					150	400051593	1,93	A
18					100	400052819	1,93	C
19	45	400022632	1,10	C				
22	40	400022636	1,05	C				
25	35	400022637	1,05	C				

*TG4: tongue and groove all 4 edges

P4		QUALIRACK LF+ TG			
Thickness (mm)	2040x910 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	
19	45	400063840	1,10	C	

*TG4: tongue and groove all 4 edges



CHIPBOARD STRUCTURAL, MOISTURE RESISTANT

TOPFINISH

P5		DURELIS										
Thickness (mm)	2500x1250 mm			2800x1196 mm			3050x1250 mm			3960x1218 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24643	2,07	90	24644	2,22						
11	80	24601	2,02							52	24600	2,03
12	80	24724	2,21	72	24645	2,13						
13				66	24646	2,11						
15	64	24604	2,21	60	26728	2,17						
18	48	24605	1,98				44	24628	2,22			
20	45	24632	2,07									
21	40	24633	1,93									
22	40	24634	2,02									

P5		DURELIS LF+				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	44731	2,07			
12	80	44735	2,21			
18	48	44680	1,98	44	44681	2,22
20	45	44684	2,07			
21	40	44685	1,93			
22	40	44686	2,02			

P5		DURELIS TG						
Thickness (mm)	2400x600 mm (TG4*)				2440x610 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
12					150	400022518	1,97	A
15								
18	100	400022904	1,91	B	100	400022519	1,97	C
19								
22	80	400022905	1,86	B	80	400022633	1,93	C
25								

Thickness (mm)	2040x910 mm (TG4*)				2440x1220 mm (TG2*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
12								
15								
18					50	400021846	1,97	C
19	45	400022631	1,17	C				
22	40	400022635	1,20	C	40	400022634	1,93	C
25	35	400022638	1,19	C				

*TG2: tongue and groove long edges, TG4: tongue and groove all 4 edges

P5		DURELIS LF+ TG			
Thickness (mm)	2040x910 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	
19	45	400063838	1,17	C	
25	35	400063839	1,19	C	

*TG2: tongue and groove long edges, TG4: tongue and groove all 4 edges



CHIPBOARD STRUCTURAL, MOISTURE RESISTANT

P5		DURELIS UNCOLOURED		
Thickness (mm)	3960x1218 mm			
	#/Pack	Article	Weight/Pack	
11	52	24727	1,95	

SANDED

P5		DURELIS				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	24602	2,07			
12	80	24725	2,21	64	24603	2,15
16	60	24630	2,21	50	24631	2,24
18	50	24726	2,07	44	24629	2,22
22	40	24641	2,02			
28				30	24642	2,35

P5		DURELIS LF+				
Thickness (mm)	2500x1250 mm			3050x1250 mm		
	#/Pack	Article	Weight/Pack	#/Pack	Article	Weight/Pack
10	90	44679	2,07			
16				50	44683	2,22
18	48	44736	1,98	44	44682	x
28				30	44730	x

P5		SANIPAN		
Thickness (mm)	1230x1200 mm			
	#/Pack	Article	Weight/Pack	
18	50	41167	0,98	

MELAMINE FACED

P5		BETONSPAN PLUS		
Thickness (mm)	2500x1250 mm			
	#/Pack	Article	Weight/Pack	
18	50	131267	2,00	



CHIPBOARD STRUCTURAL, MOISTURE RESISTANT

LACQUERED

P5		DURELIS VAPOURBLOCK		
Thickness (mm)	2800x1196 mm			
	#/Pack	Article	Weight/Pack	
12	72	400011183	2,05	
15	55	400045543	2,00	

P5		DURELIS VAPOURBLOCK TG		
Thickness (mm)	610x2440 mm (TG4*)			
	#/Pack	Article	Weight/Pack	
15	120	400054432	2,00	

*TG4: tongue and groove all 4 edges

P5		BETONFORCE BLACK		
Thickness (mm)	2500x1250 mm			
	#/Pack	Article	Weight/Pack	
18	50	400011250	2,00	

P5		TECTO PRIME		
Thickness (mm)	3960x1218 mm (1 side)			
	#/Pack	Article	Weight/Pack	
10	52	400045369	1,22	

P5		TECTO WHITE		
Thickness (mm)	3960x1218 mm (1 side)			
	#/Pack	Article	Weight/Pack	
10	52	400045368	1,22	



CHIPBOARD STRUCTURAL, MOISTURE RESISTANT & FIRE-RETARDANT

TOPFINISH

P5		HYDROFLAM		
Thickness (mm)	2800x1196 mm			
	#/Pack	Article	Weight/Pack	
12	80	29369	2,47	

P5		HYDROFLAM TG						
Thickness (mm)	2400x1200 mm (TG2*)				2400x600 mm (TG4*)			
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile
18	50	400017194	2,00	B				
22					80	400017341	2,00	B

*TG2: tongue and groove on long edges, TG4: tongue and groove all 4 edges

B25B10
2627

B25B11
7893

4008 2448 11.0
7897

4008 2448 11.0
7897

4008 2448 11.0
7897



MEZZANINE CHIPBOARD

P6		MEZZANINE U7 STANDARD TG							
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	
38	50	400016306	1,89	F	22	400024069	1,39	F	

* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 WHITE TG											
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)				850x3000 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	
38	50	400048053	1,89	F	22	400052368	1,39	F	22	400024573	1,39	F	

* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 WHITE LF+ TG					
Thickness (mm)	850x3000 mm (TG4*)						
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	
38	22	400063841	1,39	F	22	400063841	

* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 DELUXE TG							
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	
38	50	400052338	1,89	F	22	400052339	1,39	F	

* TG4: tongue and groove all 4 edges

P6		MEZZANINE U7 ANTISLIP TG							
Thickness (mm)	2400x600 mm (TG4*)				1000x2550 mm (TG4*)				
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	Weight/Pack	Profile	
38	50	400052482	1,89	F	22	400052480	1,39	F	

* TG4: tongue and groove all 4 edges

P6		FLAMESHIELD U7 SUPREME DELUXE TG					
Thickness (mm)	1000x2550 mm (TG4*)						
	#/Pack	Article	Weight/Pack	Profile	#/Pack	Article	
38	22	400070915	1,39	F	22	400070915	

* TG4: tongue and groove all 4 edges



ACCESSORIES: WOODFIBRE INSULATION & BEAMS

FIBERTECH TOP

Thickness (mm)	600x2500 mm (TG4*)		
	#/Pack	Article	Weight/Pack
18	130	400010986	0,95
22	104	400010987	0,93

* TG4: tongue and groove all 4 edges

I-JOIST

Width (mm)	Height (mm)	Length 7 m			Length 9 m			Length 13 m		
		#/Pack	Article	kg/m	#/Pack	Article	kg/m	#/Pack	Article	kg/m
45	200	43	400017846	2,81				43	400017848	2,81
	240	43	400017852	3,05				43	400017854	3,05
	300	43	400017855	3,41				43	400017857	3,41
60	220	33	400017867	3,57				33	400017869	3,57
	240	33	400017870	3,69				33	400017872	3,69
	300	33	400017873	4,05				33	400017875	4,05
	360	33	400017876	4,41				33	400017878	4,41
	400	33	400017879	4,65				33	400017881	4,65
90	220	23	400017885	4,89				23	400017887	4,89
	240	23	400017888	4,98				23	400017890	4,98
	300	23	400017891	5,34				23	400017893	5,34
	360	23	400017894	5,70				23	400017896	5,70
	400				23	400017898	5,94			

LVL-R

Width (mm)	Height (mm)	Length 12 m		
		#/Pack	Article	kg/m
39	240	40	400016277	4,75
	300	32	400016278	5,94
	360	24	400016279	7,13
	400	24	400016280	7,92
45	240	30	400016281	5,94
	300	24	400016282	7,43
	360	18	400016283	8,91
	400	18	400016284	9,90
75	300	16	400016286	12,38
	360	12	400016287	14,85
	400	12	400016288	16,50
	600	8	400018790	24,75

UNILIN, division panels

UNILIN, division panels – part of the UNILIN group – has been supplying innovative wood based solutions for building and interior design projects since 1960. Our chipboard, medium density fibreboard (MDF), High-Density fibreboard (HDF), High Pressure Laminate (HPL) and melamine-faced chipboards find their way to merchants in building materials and timber, industrial processors and DIY-chains worldwide.

We develop solutions tailored to your specific needs with creativity and innovation as the key drivers of our business. We continuously invest in product design and new technologies. Hence, we're recognized as a leading international player and a reliable partner in in our niche sector.

Our 1,300 employees give their all, day after day, at our production units in Belgium, France, Germany and the Netherlands. Altogether we produce 2.1 million m³ of panels per year.

The information provided is correct at the time of printing. For the most recent version of our stocklist, please consult our website.

FSC/PEFC

All articles in this stock list can be ordered with FSC or PEFC certificates.

Contact our sales team for more information.

NON-STANDARD

For non-standard panel types & sizes, Unilin has flexible presses & high-capacity saws that support all sawing dimensions. In principle, all thicknesses and lengths / widths are possible within the press & saw capabilities.

FREE SAMPLE SERVICE

Of all stock grades, samples are available.

Contact our sales team for more information or visit www.unilinpanels.com

AND ORDER YOUR FREE SAMPLE NOW!



FOLLOW UNILIN PANELS ON



Ingelmunstersteenweg 229, 8780 Oostrozebeke - Belgium

T +32 56 66 70 21 - F +32 56 66 82 25

info.panels@unilin.com - www.unilinpanels.com